

## Reimbursement Policy

### **β - Hemolytic Streptococcus Testing**

---

[POLICY DESCRIPTION](#) | [INDICATIONS AND/OR LIMITATIONS OF COVERAGE](#) | [APPLICABLE STATE AND FEDERAL REGULATIONS](#) | [APPLICABLE CPT/HCPCS PROCEDURE CODES](#) | [EVIDENCE-BASED SCIENTIFIC REFERENCES](#) |

#### I. Policy Description

Streptococcus are Gram-positive, catalase-negative bacteria that are further divided into α-hemolytic, such as *S. pneumoniae* and *S. mutans*; β-hemolytic, such as *S. pyogenes* (Group A), *S. agalactiae* (Group B), and *S. dysgalactiae subsp equisimilis* (Groups C and G); and γ-hemolytic, such as *Enterococcus faecalis* and *E. faecium* (Wessels, 2024). Streptococcal infections can be manifested in a variety of pathologies, including cutaneous infections, pharyngitis, acute rheumatic fever, pneumonia, postpartum endometritis, and toxic shock syndrome to name a few. Streptococcal infections can be identified using bacterial cultures obtained from blood, saliva, pus, mucosal, and skin samples as well as rapid antigen diagnostic testing (RADT) and nucleic acid-based methodologies (Chow, 2023; Wessels, 2024).

For prenatal screening of Group B Streptococcus, please review policy AHS-G2035.

#### II. Indications and/or Limitations of Coverage

Application of coverage criteria is dependent upon an individual's benefit coverage at the time of the request. Specifications pertaining to Medicare and Medicaid can be found in the "Applicable State and Federal Regulations" section of this policy document.

- 1) For the detection of a streptococcal infection causing respiratory illness, bacterial culture testing from a throat swab **MEETS COVERAGE CRITERIA** when **one** of the following conditions is met:
  - a) When the individual has a modified Centor criteria score of 3 or greater (see Note 1 below).
  - b) When the individual is suspected of having bacterial pharyngitis in the absence of viral features, (e.g., cough, oral ulcers, rhinorrhea).
  - c) Following a negative rapid antigen diagnostic test (RADT) in a symptomatic child or adolescent.
- 2) Blood culture testing for a streptococcal infection **MEETS COVERAGE CRITERIA** when one of the following conditions is met:

## Reimbursement Policy

- a) For individuals who fail to demonstrate clinical improvement.
  - b) For individuals who have progressive symptoms or clinical deterioration after the initiation of antibiotic therapy.
  - c) In cases of suspected prosthetic joint infection.
- 3) In cases of skin and/or soft tissue infections, bacterial culture testing for a streptococcal infection from a skin swab or from pus **MEETS COVERAGE CRITERIA**.
- 4) For individuals with suspected acute rheumatic fever (ARF) or post-streptococcal glomerulonephritis (PSGN), the following testing **MEETS COVERAGE CRITERIA**:
- a) Serological titer testing.
  - b) Anti-streptolysin O immunoassay.
  - c) Hyaluronidase activity or anti-hyaluronidase immunoassay.
  - d) Streptokinase activity or anti-streptokinase immunoassay.
- 5) In cases of suspected viral pharyngitis, bacterial culture testing for streptococci from a throat swab **DOES NOT MEET COVERAGE CRITERIA**.
- 6) Except in cases of asymptomatic children under the age of three years who have a mitigating circumstance (including a symptomatic family member), RADT for a streptococcal infection **DOES NOT MEET COVERAGE CRITERIA** in any of the following situations:
- a) As a follow-up test for individuals who have had either a bacterial culture test or a nucleic acid test for a streptococcal infection.
  - b) As a screening method in an asymptomatic patient.
  - c) For individuals with suspected viral pharyngitis.
- 7) For all situations not described above, serological titer testing **DOES NOT MEET COVERAGE CRITERIA**.
- 8) Simultaneous ordering of **both** direct probe and amplification probe for the same organism in a single encounter **DOES NOT MEET COVERAGE CRITERIA**.

*The following does not meet coverage criteria due to a lack of available published scientific literature confirming that the test(s) is/are required and beneficial for the diagnosis and treatment of an individual's illness.*

## Reimbursement Policy

- 9) For all situations not described above, testing with an anti-streptolysin O immunoassay, a hyaluronidase activity or anti-hyaluronidase immunoassay, **or** a streptokinase activity or anti-streptokinase immunoassay **DOES NOT MEET COVERAGE CRITERIA**.
- 10) For all situations, the following tests **DO NOT MEET COVERAGE CRITERIA**:
- Panel tests that screen and identify multiple streptococcal strains (*S. pyogenes* [group A], *S. agalactiae* [group B], *S. dysgalactiae* [groups C/G],  $\alpha$ -hemolytic streptococcus, and/or  $\gamma$ -hemolytic streptococcus), using either immunoassay or nucleic acid-based assays (e.g., Solana Strep Complete Assay, Lyra Direct Strep Assay).
  - MALDI-TOF identification of streptococcus.
  - The quantification of any strain of streptococcus using nucleic acid amplification, including PCR.
  - Nicotinamide-adenine dinucleotidase activity or anti-nicotinamide-adenine immunoassay.

### NOTES:

**Note 1:** Centor criteria includes tonsillar exudates, tender anterior cervical lymphadenopathy, fever, and absence of cough with each criterion being worth one point (Chow, 2023).

### III. Applicable State and Federal Regulations

DISCLAIMER: If there is a conflict between this Policy and any relevant, applicable government policy for a particular member [e.g., Local Coverage Determinations (LCDs) or National Coverage Determinations (NCDs) for Medicare and/or state coverage for Medicaid], then the government policy will be used to make the determination. For the most up-to-date Medicare policies and coverage, please visit the Medicare search website: <https://www.cms.gov/medicare-coverage-database/search.aspx>. For the most up-to-date Medicaid policies and coverage, visit the applicable state Medicaid website.

#### Food and Drug Administration (FDA)

The FDA approved the Lyra Direct Strep Assay (k133833) on 04/16/2014 and reclassified it on 07/11/2014. It is a “Real-Time PCR *in vitro* diagnostic test for the qualitative detection and differentiation of Group A  $\beta$ -hemolytic *Streptococcus* (*Streptococcus pyogenes*) and pyogenic Group C and G  $\beta$ -hemolytic *Streptococcus* nucleic acids isolated from throat swab specimens obtained from patients with signs and symptoms of pharyngitis, such as sore throat. The assay does not differentiate between pyogenic Groups C and G  $\beta$ -hemolytic

## Reimbursement Policy

*Streptococcus*” (Hojvat, 2014). The FDA has also approved the Solana Strep Complete Assay by Quidel that is “an in vitro diagnostic test for the detection of Group A, C and G beta- hemolytic *Streptococcus* in throat swab specimens from symptomatic patients” on 10/25/2016 (K162274) (FDA, 2016).

On 03/06/2019, the FDA approved GenePOC’s Strep A assay to be performed using GenePOC’s Revogene instrument as a “single-use test for qualitative detection of *Streptococcus pyogenes* (group A *Streptococcus*-GAS) nucleic acids from throat swab specimens obtained from patients with signs and symptoms of pharyngitis” (FDA, 2019).

On November 9, 2020, the FDA approved Mesa Biotech, Inc.’s Accula™ Strep A Test, which is a semi-automated, colorimetric polymerase chain reaction (PCR) nucleic acid amplification test “to qualitatively detect *Streptococcus pyogenes* (Group A  $\beta$ hemolytic *Streptococcus*, Strep A) bacterial nucleic acid from unprocessed throat swabs that have not undergone prior nucleic acid extraction” (FDA, 2020).

Many labs have developed specific tests that they must validate and perform in house. These laboratory-developed tests (LDTs) are regulated by the Centers for Medicare and Medicaid (CMS) as high-complexity tests under the Clinical Laboratory Improvement Amendments of 1988 (CLIA ’88). LDTs are not approved or cleared by the U. S. Food and Drug Administration; however, FDA clearance or approval is not currently required for clinical use.

### IV. Applicable CPT/HCPCS Procedure Codes

CP T	Code Description
860 60	Antistreptolysin 0; titer
860 63	Antistreptolysin 0; screen
862 15	Deoxyribonuclease, antibody
863 17	Immunoassay for infectious agent antibody, quantitative, not otherwise specified
863 18	Immunoassay for infectious agent antibody(ies), qualitative or semiquantitative, single step-method (eg, reagent strip);

## Reimbursement Policy

870 40	Culture, bacterial; blood, aerobic, with isolation and presumptive identification of isolates (includes anaerobic culture, if appropriate)
870 70	Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates
870 71	Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool
870 77	Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate
870 81	Culture, presumptive, pathogenic organisms, screening only;
874 30	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Streptococcus, group A
876 50	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, direct probe technique
876 51	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, amplified probe technique
876 52	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, quantification
877 97	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; direct probe technique, each organism
877 98	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism
877 99	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism
878 80	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Streptococcus, group A

Current Procedural Terminology© American Medical Association. All Rights reserved.

## Reimbursement Policy

*Procedure codes appearing in Medical Policy documents are included only as a general reference tool for each policy. They may not be all-inclusive.*

### V. Evidence-based Scientific References

AACC. (2021, 12/30/2017). *Strep Throat Test*. American Association for Clinical Chemistry. Retrieved 08/03/2018 from <https://labtestsonline.org/tests/strep-throat-test>

AAOS. (2019). *DIAGNOSIS AND PREVENTION OF PERIPROSTHETIC JOINT INFECTIONS CLINICAL PRACTICE GUIDELINE*. <https://aaos.org/globalassets/quality-and-practice-resources/pji/pji-clinical-practice-guideline-final-9-18-19-.pdf>

ACOG. (2020). Prevention of Group B Streptococcal Early-Onset Disease in Newborns. <https://www.acog.org/clinical/clinical-guidance/committee-opinion/articles/2020/02/prevention-of-group-b-streptococcal-early-onset-disease-in-newborns>

Barshak, M. B. (2024, March 19). *Group B streptococcal infections in nonpregnant adults*. Wolters Kluwer <https://www.uptodate.com/contents/group-b-streptococcal-infections-in-nonpregnant-adults>

Bilir, S. P., Kruger, E., Faller, M., Munakata, J., Karichu, J. K., Sickler, J., & Cheng, M. M. (2021). US cost-effectiveness and budget impact of point-of-care NAAT for streptococcus. *The American journal of managed care*, 27(5), e157-e163. <https://doi.org/10.37765/ajmc.2021.88638>

Blyth, C. C., & Robertson, P. W. (2006). Anti-streptococcal antibodies in the diagnosis of acute and post-streptococcal disease: streptokinase versus streptolysin O and deoxyribonuclease B. *Pathology*, 38(2), 152-156. <https://doi.org/10.1080/00313020600557060>

Boyanton, B. L., Jr., Darnell, E. M., Prada, A. E., Hansz, D. M., & Robinson-Dunn, B. (2016). Evaluation of the Lyra Direct Strep Assay To Detect Group A Streptococcus and Group C and G Beta-Hemolytic Streptococcus from Pharyngeal Specimens. *J Clin Microbiol*, 54(1), 175-177. <https://doi.org/10.1128/jcm.02405-15>

Bradley, J. S., Byington, C. L., Shah, S. S., Alverson, B., Carter, E. R., Harrison, C., Kaplan, S. L., Mace, S. E., McCracken, J. G. H., Moore, M. R., St Peter, S. D., Stockwell, J. A., & Swanson, J. T. (2011). The Management of Community-Acquired Pneumonia in Infants and Children Older Than 3 Months of Age: Clinical Practice Guidelines by the Pediatric Infectious Diseases Society and the Infectious Diseases Society of America. *Clinical Infectious Diseases*, 53(7), e25-e76. <https://doi.org/10.1093/cid/cir531>

Bruun, T., Kittang, B. R., de Hoog, B. J., Aardal, S., Flaatten, H. K., Langeland, N., Mylvaganam, H., Vindenes, H. A., & Skrede, S. (2013). Necrotizing soft tissue infections

## Reimbursement Policy

caused by *Streptococcus pyogenes* and *Streptococcus dysgalactiae* subsp. *equisimilis* of groups C and G in western Norway. *Clin Microbiol Infect*, 19(12), E545-550.

<https://doi.org/10.1111/1469-0691.12276>

CDC. (2024a, March 1). *Clinical Guidance for Group A Streptococcal Pharyngitis*. Centers for Disease Control and Prevention. Retrieved 8/10/2022 from <https://www.cdc.gov/group-a-strep/hcp/clinical-guidance/index.html>

CDC. (2024b, March 1). *Clinical Guidance for Scarlet Fever*. Centers for Disease Control and Prevention. Retrieved 8/10/2022 from <https://www.cdc.gov/group-a-strep/hcp/clinical-guidance/scarlet-fever.html>

CDC. (2024c, March 1). *Clinical Guidelines for Post-Streptococcal Glomerulonephritis*. Centers for Disease Control and Prevention. Retrieved 8/15/2022 from <https://www.cdc.gov/group-a-strep/hcp/clinical-guidance/post-streptococcal-glomerulonephritis.html>

CDC. (2024d, March 1). *Diagnosing Acute Rheumatic Fever*. Centers for Disease Control and Prevention. Retrieved 8/10/2022 from <https://www.cdc.gov/group-a-strep/hcp/clinical-guidance/diagnosing-acute-rheumatic-fever.html>

Centor, R. M., & McIsaac, W. (2024). *Centor Score (Modified/McIsaac) for Strep Pharyngitis*. MDCalc. <https://www.mdcalc.com/centor-score-modified-mcisaac-strep-pharyngitis>

Chow, A. W. (2023, October 5). *Evaluation of acute pharyngitis in adults*. <https://www.uptodate.com/contents/evaluation-of-acute-pharyngitis-in-adults>

Church, D. L., Lloyd, T., Larios, O., & Gregson, D. B. (2018). Evaluation of Simplexa Group A Strep Direct Kit Compared to Hologic Group A Streptococcal Direct Assay for Detection of Group A Streptococcus in Throat Swabs. *J Clin Microbiol*, 56(3).

<https://doi.org/10.1128/jcm.01666-17>

Cohen, D. M., Russo, M. E., Jaggi, P., Kline, J., Gluckman, W., & Parekh, A. (2015). Multicenter Clinical Evaluation of the Novel Alere i Strep A Isothermal Nucleic Acid Amplification Test. *J Clin Microbiol*, 53(7), 2258-2261. <https://doi.org/10.1128/jcm.00490-15>

Cohen, J. F., Bertille, N., Cohen, R., & Chalumeau, M. (2016). Rapid antigen detection test for group A streptococcus in children with pharyngitis. *Cochrane Database Syst Rev*, 7, Cd010502. <https://doi.org/10.1002/14651858.CD010502.pub2>

Dubois, C., Smeesters, P. R., Refes, Y., Levy, C., Bidet, P., Cohen, R., Chalumeau, M., Toubiana, J., & Cohen, J. F. (2021). Diagnostic accuracy of rapid nucleic acid tests for group A

## Reimbursement Policy

streptococcal pharyngitis: systematic review and meta-analysis. *Clinical Microbiology and Infection*. <https://doi.org/https://doi.org/10.1016/j.cmi.2021.04.021>

FDA. (2016, 06/18/2018). *Product Classification*. U.S. Department of Health & Human Services. Retrieved 06/22/2018 from <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpd/classification.cfm?ID=3515>

FDA. (2019). *510(k) Substantial Equivalence Determination Design Summary (K183366)*. [https://www.accessdata.fda.gov/cdrh\\_docs/reviews/K183366.pdf](https://www.accessdata.fda.gov/cdrh_docs/reviews/K183366.pdf)

FDA. (2020). Groups A, C And G Beta-Hemolytic Streptococcus Nucleic Acid Amplification System. <https://www.accessdata.fda.gov/scripts/cdrh/devicesatfda/index.cfm?db=pmn&id=K201269>

Filkins, L., Hauser, J., Robinson-Dunn, B., Tibbetts, R., Boyanton, B., & Revell, P. (2021, 7/23/2021). *Guidelines for the Detection and Identification of Group B Streptococcus*. <https://asm.org/Guideline/Guidelines-for-the-Detection-and-Identification-of>

Fraser, H., Gallacher, D., Achana, F., Court, R., Taylor-Phillips, S., Nduka, C., Stinton, C., Willans, R., Gill, P., & Mistry, H. (2020). Rapid antigen detection and molecular tests for group A streptococcal infections for acute sore throat: systematic reviews and economic evaluation. *Health Technol Assess*, 24(31), 1-232. <https://doi.org/10.3310/hta24310>

Freeman, J., & Roberts, S. (2023, February 28). *Approach to Gram stain and culture results in the microbiology laboratory*. Wolters Kluwer. <https://www.uptodate.com/contents/approach-to-gram-stain-and-culture-results-in-the-microbiology-laboratory>

Gera, K., & McIver, K. S. (2013). Laboratory Growth and Maintenance of Streptococcus pyogenes (The Group A Streptococcus, GAS). *Curr Protoc Microbiol*, 30, 9d.2.1-9d.2.13. <https://doi.org/10.1002/9780471729259.mc09d02s30>

Gewitz, M., H., Baltimore, R., S., Tani, L., Y., Sable, C., A., Shulman, S., T., Carapetis, J., Remenyi, B., Taubert, K., A., Bolger, A., F., Beerman, L., Mayosi, B., M., Beaton, A., Pandian, N., G., & Kaplan, E., L. (2015). Revision of the Jones Criteria for the Diagnosis of Acute Rheumatic Fever in the Era of Doppler Echocardiography. *Circulation*, 131(20), 1806-1818. <https://doi.org/10.1161/CIR.0000000000000205>

Helmig, R. B., & Gertsen, J. B. (2017). Diagnostic accuracy of polymerase chain reaction for intrapartum detection of group B streptococcus colonization. *Acta Obstet Gynecol Scand*, 96(9), 1070-1074. <https://doi.org/10.1111/aogs.13169>

## Reimbursement Policy

Hojvat, S. A. (2014). *Evaluation of Class III Designation--De Novo Request*. Silver Spring, MD: Food and Drug Administration Retrieved from [https://www.accessdata.fda.gov/cdrh\\_docs/pdf13/k133883.pdf](https://www.accessdata.fda.gov/cdrh_docs/pdf13/k133883.pdf)

IDSA. (2019a). *Clinical Practice Guideline: Tonsillectomy in Children (Update) (Endorsed)*. <https://www.idsociety.org/practice-guideline/tonsillectomy-in-children/>

IDSA. (2019b). *Diagnosis and Prevention of Periprosthetic Joint Infections (Endorsed)*. <https://www.idsociety.org/practice-guideline/periprosthetic-joint-infections/>

Kim, H. N., Kim, J., Jang, W. S., Nam, J., & Lim, C. S. (2019). Performance evaluation of three rapid antigen tests for the diagnosis of group A Streptococci. *BMJ Open*, 9(8), e025438. <https://doi.org/10.1136/bmjopen-2018-025438>

Kimberlin, D. W., Barnett, E. D., Lynfield, R., & Sawyer, M. H. (2021). *Group A Streptococcal Infections*.

Lollar, R. (2016). *K162274 510(k) premarket notification of intent to market Solana Strep Complete Assay*. FDA Retrieved from [https://www.accessdata.fda.gov/cdrh\\_docs/pdf16/K162274.pdf](https://www.accessdata.fda.gov/cdrh_docs/pdf16/K162274.pdf)

Luo, R., Sickler, J., Vahidnia, F., Lee, Y.-C., Frogner, B., & Thompson, M. (2019). Diagnosis and Management of Group a Streptococcal Pharyngitis in the United States, 2011–2015. *BMC Infectious Diseases*, 19(1), 193. <https://doi.org/10.1186/s12879-019-3835-4>

McCarty, T., White, C., Meeder, J., Moates, D., Pierce, H., Edwards, W., Hutchinson, J., Lee, R., & Leal Jr, S. (2022). Analytical performance and potential clinical utility of the GenMark Dx ePlex® blood culture identification gram-positive panel. *Diagnostic Microbiology and Infectious Disease*, 104(3), 115762.

Metlay, J. P., Waterer, G. W., Long, A. C., Anzueto, A., Brozek, J., Crothers, K., Cooley, L. A., Dean, N. C., Fine, M. J., Flanders, S. A., Griffin, M. R., Metersky, M. L., Musher, D. M., Restrepo, M. I., & Whitney, C. G. (2019). Diagnosis and Treatment of Adults with Community-acquired Pneumonia. An Official Clinical Practice Guideline of the American Thoracic Society and Infectious Diseases Society of America. *Am J Respir Crit Care Med*, 200(7), e45-e67. <https://doi.org/10.1164/rccm.201908-1581ST>

Miller, J. M., Binnicker, M. J., Campbell, S., Carroll, K. C., Chapin, K. C., Gilligan, P. H., Gonzalez, M. D., Jerris, R. C., Kehl, S. C., Patel, R., Pritt, B. S., Richter, S. S., Robinson-Dunn, B., Schwartzman, J. D., Snyder, J. W., Telford, S., III, Theel, E. S., Thomson, R. B., Jr., Weinstein, M. P., & Yao, J. D. (2018). A Guide to Utilization of the Microbiology Laboratory for Diagnosis of Infectious Diseases: 2018 Update by the Infectious Diseases Society of

## Reimbursement Policy

America and the American Society for Microbiology. *Clinical Infectious Diseases*, 67(6), e1-e94. <https://doi.org/10.1093/cid/ciy381>

Mitchell, R. B., Archer, S. M., Ishman, S. L., Rosenfeld, R. M., Coles, S., Finestone, S. A., Friedman, N. R., Giordano, T., Hildrew, D. M., Kim, T. W., Lloyd, R. M., Parikh, S. R., Shulman, S. T., Walner, D. L., Walsh, S. A., & Nnacheta, L. C. (2019). Clinical Practice Guideline: Tonsillectomy in Children (Update). *Otolaryngol Head Neck Surg*, 160(1\_suppl), S1-s42. <https://doi.org/10.1177/0194599818801757>

NICE. (2019). *Rapid tests for group A streptococcal infections in people with a sore throat*. <https://www.nice.org.uk/guidance/dg38>

O. Luiz, F., Alves, K. B., & Barros, R. R. (2019). Prevalence and long-term persistence of beta-haemolytic streptococci throat carriage among children and young adults. *J Med Microbiol*, 68(10), 1526-1533. <https://doi.org/10.1099/jmm.0.001054>

Pediatrics, A. A. o. (2018). Group B Streptococcal Infections. In D. Kimberlin, M. Brady, M. Jackson, & S. Long (Eds.), *Red Book: 2018 Report of the Committee on Infectious Diseases* (pp. 762-768). American Academy of Pediatrics. <https://redbook.solutions.aap.org/chapter.aspx?sectionid=189640188&bookid=2205>

Puopolo, K. M., Lynfield, R., & Cummings, J. J. (2019). Management of Infants at Risk for Group B Streptococcal Disease. *Pediatrics*, 144(2), e20191881. <https://doi.org/10.1542/peds.2019-1881>

Puopolo, K. M., Madoff, L. C., & Baker, C. J. (2024, July 16). *Group B streptococcal infection in pregnant women*. Wolters Kluwer. <https://www.uptodate.com/contents/group-b-streptococcal-infection-in-pregnant-women>

Raignoux, J., Benard, M., Huo Yung Kai, S., Dicky, O., Berrebi, A., Bibet, L., Chetouani, A. S., Marty, N., Cavalie, L., Casper, C., & Assouline-Azogui, C. (2016). [Is rapid intrapartum vaginal screening test of group B streptococci (GBS) during partum useful in identifying infants developing early-onset GBS sepsis in postpartum period?]. *Arch Pediatr*, 23(9), 899-907. <https://doi.org/10.1016/j.arcped.2016.06.003> (Test de depistage rapide intra partum du portage vaginal de streptocoque du groupe B (SGB) pour le reperege des nouveau-nes a risque d'infection neonatale precoce a SGB. Etude observationnelle analytique dans une maternite de type III.)

Rantala, S. (2014). Streptococcus dysgalactiae subsp. equisimilis bacteremia: an emerging infection. *Eur J Clin Microbiol Infect Dis*, 33(8), 1303-1310. <https://doi.org/10.1007/s10096-014-2092-0>

## Reimbursement Policy

Schwartz, B., Facklam, R. R., & Breiman, R. F. (1990). Changing epidemiology of group A streptococcal infection in the USA. *Lancet*, 336(8724), 1167-1171.

Short, S., Bashir, H., Marshall, P., Miller, N., Olmschenk, D., Prigge, K., & Solyntjes, L. (2017). *Diagnosis and Treatment of Respiratory Illness in Children and Adults* (5th ed.). Institute for Clinical Systems Improvement. <https://www.icsi.org/wp-content/uploads/2019/01/RespIllness.pdf>

Shulman, S. T., Bisno, A. L., Clegg, H. W., Gerber, M. A., Kaplan, E. L., Lee, G., Martin, J. M., & Van Beneden, C. (2012). Clinical practice guideline for the diagnosis and management of group A streptococcal pharyngitis: 2012 update by the Infectious Diseases Society of America. *Clin Infect Dis*, 55(10), e86-102. <https://doi.org/10.1093/cid/cis629>

Spellerberg, B., & Brandt, C. (2016). Laboratory Diagnosis of *Streptococcus pyogenes* (group A streptococci). In J. J. Ferretti, D. L. Stevens, & V. A. Fischetti (Eds.), *Streptococcus pyogenes : Basic Biology to Clinical Manifestations*. University of Oklahoma Health Sciences Center.

Steer, A., & Gibofsky, A. (2024, May 15). *Acute rheumatic fever: Clinical manifestations and diagnosis*. UpToDate. <https://www.uptodate.com/contents/acute-rheumatic-fever-clinical-manifestations-and-diagnosis>

Steer, A. C., Smeesters, P. R., & Curtis, N. (2015). Streptococcal Serology: Secrets for the Specialist. *Pediatr Infect Dis J*, 34(11), 1250-1252. <https://doi.org/10.1097/inf.0000000000000881>

Stevens, D. L., Bisno, A. L., Chambers, H. F., Dellinger, E. P., Goldstein, E. J. C., Gorbach, S. L., Hirschmann, J. V., Kaplan, S. L., Montoya, J. G., & Wade, J. C. (2014). Practice Guidelines for the Diagnosis and Management of Skin and Soft Tissue Infections: 2014 Update by the Infectious Diseases Society of America. *Clinical Infectious Diseases*, 59(2), e10-e52. <https://doi.org/10.1093/cid/ciu296>

Stevens, D. L., & Bryant, A. (2024, April 9). *Group A streptococcus: Virulence factors and pathogenic mechanisms*. UpToDate. <https://www.uptodate.com/contents/group-a-streptococcus-virulence-factors-and-pathogenic-mechanisms>

Uphoff, T. S., Buchan, B. W., Ledebner, N. A., Granato, P. A., Daly, J. A., & Marti, T. N. (2016). Multicenter Evaluation of the Solana Group A Streptococcus Assay: Comparison with Culture. *J Clin Microbiol*, 54(9), 2388-2390. <https://doi.org/10.1128/jcm.01268-16>

Wald, E. R. (2024, June 19). *Group A streptococcal tonsillopharyngitis in children and adolescents: Clinical features and diagnosis*. Wolters Kluwer.

## Reimbursement Policy

<https://www.uptodate.com/contents/group-a-streptococcal-tonsillopharyngitis-in-children-and-adolescents-clinical-features-and-diagnosis>

Weinzierl, E. P., Jerris, R. C., Gonzalez, M. D., Piccini, J. A., & Rogers, B. B. (2018). Comparison of Alere i Strep A Rapid Molecular Assay With Rapid Antigen Testing and Culture in a Pediatric Outpatient Setting. *American Journal of Clinical Pathology*, aqy038-aqy038. <https://doi.org/10.1093/ajcp/aqy038>

Wessels, M. R. (2024, June 14). *Group C and group G streptococcal infection*. <https://www.uptodate.com/contents/group-c-and-group-g-streptococcal-infection>