

Reimbursement Policy

Helicobacter Pylori Testing

[POLICY DESCRIPTION](#) | [INDICATIONS AND/OR LIMITATIONS OF COVERAGE](#) | [APPLICABLE STATE AND FEDERAL REGULATIONS](#) | [APPLICABLE CPT/HCPCS PROCEDURE CODES](#) | [EVIDENCE-BASED SCIENTIFIC REFERENCES](#)

I. Policy Description

Helicobacter pylori (*H. pylori*) is a spiral-shaped, gram-negative bacteria that thrives while living in acidic environments, growing in close association with the stomach lining. *H. pylori* infection causes chronic inflammation (infection) in the stomach and is associated with conditions such as peptic ulcer disease, chronic gastritis, gastric adenocarcinoma, and gastric mucosa associated lymphoid tissue (MALT) lymphoma.¹

II. Indications and/or Limitations of Coverage

Application of coverage criteria is dependent upon an individual's benefit coverage at the time of the request. Specifications pertaining to Medicare and Medicaid can be found in the "Applicable State and Federal Regulations" section of this policy document.

- 1) For individuals who are 18 years of age and older, urea breath testing **or** stool antigen testing to diagnose an *H. pylori* infection **MEETS COVERAGE CRITERIA** in **any** of the following situations:
 - a) For individuals with dyspepsia (see Note 1).
 - b) For individuals with active peptic ulcer disease (PUD).
 - c) For individuals with past PUD and who have had recurrent symptoms.
 - d) For individuals with low-grade gastric mucosa-associated lymphoid tissue (MALT) lymphoma.
 - e) For individuals with a history of resection of early gastric cancer (EGC).
 - f) For individuals with gastric intestinal metaplasia (GIM).

For individuals initiating chronic treatment with or who have been on a long-term aspirin or non-steroidal anti-inflammatory drug (NSAID) treatment.

-
-
-
-
-
-
- g) For individuals with unexplained iron deficiency anemia.

Reimbursement Policy

- h) For individuals with idiopathic thrombocytopenic purpura (ITP).
- i) For individuals with a family history of gastric cancer.
- j) For individuals who are first-generation immigrants from a high prevalence area.

For individuals who are 18 years of age and older and who are undergoing endoscopic examination or who have alarm symptoms (see Note 2), a biopsy-based endoscopic histology test and **either** a rapid urease test **or** a culture with susceptibility testing to diagnose an *H. pylori* infection **MEETS COVERAGE CRITERIA**.

- 2) For individuals who are less than 18 years of age, urea breath testing **or** stool antigen testing to diagnose an *H. pylori* infection **MEETS COVERAGE CRITERIA** in **any** of the following situations:
 - a) For individuals who have gastric or duodenal ulcers or erosions.

For individuals who have a family history of gastric cancer.

- 3) For individuals who are less than 18 years of age and who have refractory iron deficiency anemia, a biopsy-based endoscopic histology test and **either** a rapid urease test **or** a culture with susceptibility testing to diagnose an *H. pylori* infection **MEETS COVERAGE CRITERIA**.
- 4) For all individuals who have tested positive for *H. pylori*, urea breath testing **or** stool antigen testing to measure the success of eradication of *H. pylori* infection, with testing performed at least four weeks post-treatment, **MEETS COVERAGE CRITERIA**.
- 5) For individuals with a refractory *H. pylori* infection, susceptibility testing (culture or nucleic acid based) **MEETS COVERAGE CRITERIA**.
- 6) Urea breath testing **or** stool antigen testing to diagnose an *H. pylori* infection **DOES NOT MEET COVERAGE CRITERIA** for **any** of the following situations:
 - a) For asymptomatic individuals of all ages.
 - b) For individuals 18 years and older with typical symptoms of gastroesophageal reflux disease (i.e., heartburn, regurgitation) who do not have a history of peptic ulcer disease (PUD).
- 7) For individuals of all ages, serologic testing for *H. pylori* infection **DOES NOT MEET COVERAGE CRITERIA**.

Reimbursement Policy

- 8) For individuals less than 18 years of age, a biopsy-based endoscopic histology test and a rapid urease test **or** a culture with susceptibility testing to diagnose an *H. pylori* infection **DOES NOT MEET COVERAGE CRITERIA** in **any** of the following situations:
 - a) For children with functional abdominal pain.
 - b) As part of an initial investigation in children with iron deficiency anemia.
 - c) When investigating causes of short stature.
- 9) For individuals with recent use of antibiotics, proton pump inhibitors (PPIs), or bismuth, the urea breath test, stool antigen, **or** biopsy-based testing to diagnose an *H. pylori* infection **DOES NOT MEET COVERAGE CRITERIA**.
- 10) To diagnose an *H. pylori* infection, concurrent testing with **any** combination of the urea breath test, stool antigen testing, **and/or** biopsy-based testing **DOES NOT MEET COVERAGE CRITERIA**.
- 11) For all other situations not described above, nucleic acid testing for *H. pylori* **DOES NOT MEET COVERAGE CRITERIA**.

NOTES:

Note 1: “Dyspepsia refers to bothersome upper abdominal symptoms that are often meal related. The predominant symptoms are fullness (or bloating) after meals, early satiety (inability to finish a normal-sized meal because of postprandial discomfort), or epigastric pain (or burning) that may or may not be related to meals. If dyspepsia is chronic, epigastric pain is a less common feature than postprandial fullness or satiety. Pain is not required to make a diagnosis of dyspepsia.”²

Note 2: Alarm features of dyspepsia: vomiting, gastrointestinal bleeding, unexplained iron deficiency, or weight loss.³

III. Applicable State and Federal Regulations

DISCLAIMER: If there is a conflict between this Policy and any relevant, applicable government policy for a particular member [e.g., Local Coverage Determinations (LCDs) or National Coverage Determinations (NCDs) for Medicare and/or state coverage for Medicaid], then the government policy will be used to make the determination. For the most up-to-date Medicare policies and coverage, please visit the Medicare search website: <https://www.cms.gov/medicare-coverage-database/search.aspx>. For the most up-to-date Medicaid policies and coverage, visit the applicable state Medicaid website.

Reimbursement Policy

Food and Drug Administration (FDA)

Many labs have developed specific tests that they must validate and perform in house. These laboratory-developed tests (LDTs) are regulated by the Centers for Medicare and Medicaid (CMS) as high-complexity tests under the Clinical Laboratory Improvement Amendments of 1988 (CLIA '88). LDTs are not approved or cleared by the U. S. Food and Drug Administration; however, FDA clearance or approval is not currently required for clinical use.

On Feb 22, 2012, the FDA approved the BreathTek UBT for *H. pylori* Kit created by Otsuka America Pharmaceutical, Inc. The BreathTek UBT for *H. pylori* Kit (BreathTek UBT Kit) is intended for use in the qualitative detection of urease associated with *H. pylori* in the human stomach and is indicated as an aid in the initial diagnosis and post-treatment monitoring of *H. pylori* infection in adults, and pediatric patients three to 17 years old. The test may be used for monitoring treatment if used at four weeks following completion of therapy. The FDA notes its sensitivity and specificity to be 0.958 and 0.992 respectively.⁴²

On Jan 17, 2002, the FDA approved the BreathTek UBiT for *H. pylori* created by Meretek Diagnostics Inc. The scientific basis underlying the BreathTek UBT and the BreathTek UBiT UBT kit is identical. The urea breath test is FDA cleared for use in individuals 18 years of age and older.⁴³

The BreathTek product line was bought by Meridian Biosciences and as of July 1, 2024 the entire BreathTek line, including BreathTek UBT and the BreathTek UBiT have been discontinued.⁴⁴

On February 18, 2020, the FDA approved the PyloPlus UBT System created by ARJ Medical Inc. PyloPlus detects urease associated with *H. pylori* in the stomach and is indicated as an aid in the initial diagnosis of *H. pylori* infection in adults 18 years and older.⁴⁵

IV. Applicable CPT/HCPCS Procedure Codes

CPT	Code Description
83009	Helicobacter pylori, blood test analysis for urease activity, non-radioactive isotope (eg, C-13)
83013	Helicobacter pylori; breath test analysis for urease activity, non-radioactive isotope (eg, C-13)
83014	Helicobacter pylori; drug administration
86318	Immunoassay for infectious agent antibody(ies), qualitative or semiquantitative, single step-method (eg, reagent strip);
86677	Antibody; Helicobacter pylori

Reimbursement Policy

87070	Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates
87077	Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate
87081	Culture, presumptive, pathogenic organisms, screening only;
87149	Culture, typing; identification by nucleic acid (DNA or RNA) probe, direct probe technique, per culture or isolate, each organism probed
87150	Culture, typing; identification by nucleic acid (DNA or RNA) probe, amplified probe technique, per culture or isolate, each organism probed
87153	Culture, typing; identification by nucleic acid sequencing method, each isolate (eg, sequencing of the 16S rRNA gene)
87181	Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)
87186	Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate
87205	Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types
87338	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Helicobacter pylori, stool
87339	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Helicobacter pylori
87513	Infectious agent detection by nucleic acid (DNA or RNA); Helicobacter pylori (H. pylori), clarithromycin resistance, amplified probe technique
88305	Level IV - Surgical pathology, gross and microscopic examination - Stomach

Current Procedural Terminology© American Medical Association. All Rights reserved.

Procedure codes appearing in Medical Policy documents are included only as a general reference tool for each policy. They may not be all-inclusive.

V. Evidence-based Scientific References

1. Lamont JT. Indications and diagnostic tests for Helicobacter pylori infection. July 13, 2023. <https://www.uptodate.com/contents/indications-and-diagnostic-tests-for-helicobacter-pylori-infection2>. Longstreth G, Lacy, Brian. Approach to the adult with dyspepsia. Updated January 16, 2025. <https://www.uptodate.com/contents/approach-to-the-adult-with-dyspepsia>

Reimbursement Policy

3. Chey WD, Howden CW, Moss SF, et al. ACG Clinical Guideline: Treatment of Helicobacter pylori Infection. *Official journal of the American College of Gastroenterology | ACG*. 2024;119(9):1730-1753. doi:10.14309/ajg.0000000000002968
4. Siao D, Somsouk M. Helicobacter pylori: evidence-based review with a focus on immigrant populations. *Journal of general internal medicine*. Mar 2014;29(3):520-8. doi:10.1007/s11606-013-2630-y
5. Jensen P, Feldman, Mark. Acute and chronic gastritis due to Helicobacter pylori. Updated September 5, 2023. <https://www.uptodate.com/contents/acute-and-chronic-gastritis-due-to-helicobacter-pylori>
6. Singh V, Mishra S, Rao GR, et al. Evaluation of nested PCR in detection of Helicobacter pylori targeting a highly conserved gene: HSP60. *Helicobacter*. Feb 2008;13(1):30-4. doi:10.1111/j.1523-5378.2008.00573.x
7. Patel SK, Pratap CB, Jain AK, Gulati AK, Nath G. Diagnosis of Helicobacter pylori: what should be the gold standard? *World journal of gastroenterology*. Sep 28 2014;20(36):12847-59. doi:10.3748/wjg.v20.i36.12847
8. Dechant FX, Dechant R, Kandulski A, et al. Accuracy of Different Rapid Urease Tests in Comparison with Histopathology in Patients with Endoscopic Signs of Gastritis. *Digestion*. 2020;101(2):184-190. doi:10.1159/000497810
9. Pohl D, Keller PM, Bordier V, Wagner K. Review of current diagnostic methods and advances in Helicobacter pylori diagnostics in the era of next generation sequencing. *World journal of gastroenterology*. Aug 28 2019;25(32):4629-4660. doi:10.3748/wjg.v25.i32.4629
10. Hussein RA, Al-Ouqaili MTS, Majeed YH. Detection of Helicobacter Pylori infection by invasive and non-invasive techniques in patients with gastrointestinal diseases from Iraq: A validation study. *PLoS One*. 2021;16(8):e0256393. doi:10.1371/journal.pone.0256393
11. Hassan AM, Faraj HHA, Mohammad HF. Comparison between stool antigen test and urea breath test for diagnosing of Helicobacter pylori infection among Children in Sulaymaniyah City. *Mustansiriya Medical Journal*. 2021;20(1):6.
12. Abdelmalek S, Hamed W, Nagy N, Shokry K, Abdelrahman H. Evaluation of the Diagnostic Values and Utility of Helicobacter Pylori Stool Antigen Lateral Immunochromatography Assay. 2022;
13. Gisbert JP, de la Morena F, Abaira V. Accuracy of monoclonal stool antigen test for the diagnosis of H. pylori infection: a systematic review and meta-analysis. *The American journal of gastroenterology*. Aug 2006;101(8):1921-30. doi:10.1111/j.1572-0241.2006.00668.x

Reimbursement Policy

14. Opekun AR, Zierold C, Rode A, et al. Clinical Performance of the Automated LIAISON® Meridian H. pylori SA Stool Antigen Test. *Biomed Res Int.* 2020;2020:7189519. doi:10.1155/2020/7189519
15. Korkmaz H, Findik D, Ugurluoglu C, Terzi Y. Reliability of stool antigen tests: investigation of the diagnostic value of a new immunochromatographic Helicobacter pylori approach in dyspeptic patients. *Asian Pacific journal of cancer prevention : APJCP.* 2015;16(2):657-60.
16. Ferwana M, Abdulmajeed I, Alhajahmed A, et al. Accuracy of urea breath test in Helicobacter pylori infection: meta-analysis. *World journal of gastroenterology.* Jan 28 2015;21(4):1305-14. doi:10.3748/wjg.v21.i4.1305
17. Loy CT, Irwig LM, Katelaris PH, Talley NJ. Do commercial serological kits for Helicobacter pylori infection differ in accuracy? A meta-analysis. *The American journal of gastroenterology.* Jun 1996;91(6):1138-44.
18. Nezami BG, Jani M, Alouani D, Rhoads DD, Sadri N. Helicobacter pylori Mutations Detected by Next-Generation Sequencing in Formalin-Fixed, Paraffin-Embedded Gastric Biopsy Specimens Are Associated with Treatment Failure. *J Clin Microbiol.* Jul 2019;57(7)doi:10.1128/jcm.01834-18
19. Yang F, Xu YL, Zhu RF. Helicobacter pylori infection and the risk of colorectal carcinoma: a systematic review and meta-analysis. *Minerva medica.* Oct 2019;110(5):464-470. doi:10.23736/s0026-4806.19.05942-1
20. Wang T, Li X, Zhang Q, et al. Relationship between Helicobacter pylori infection and osteoporosis: a systematic review and meta-analysis. *BMJ open.* Jun 27 2019;9(6):e027356. doi:10.1136/bmjopen-2018-027356
21. Zhou BG, Yang HJ, Xu W, Wang K, Guo P, Ai YW. Association between Helicobacter pylori infection and nonalcoholic fatty liver disease: A systematic review and meta-analysis of observational studies. *Helicobacter.* Jun 2019;24(3):e12576. doi:10.1111/hel.12576
22. Halland M, Haque R, Langhorst J, Boone JH, Petri WA. Clinical performance of the H. PYLORI QUIK CHEK™ and H. PYLORI CHEK™ assays, novel stool antigen tests for diagnosis of Helicobacter pylori. *Eur J Clin Microbiol Infect Dis.* May 2021;40(5):1023-1028. doi:10.1007/s10096-020-04137-7
23. Marrero Rolon R, Cunningham SA, Mandrekar JN, Polo ET, Patel R. Clinical Evaluation of a Real-Time PCR Assay for Simultaneous Detection of Helicobacter pylori and Genotypic Markers of Clarithromycin Resistance Directly from Stool. *J Clin Microbiol.* Apr 20 2022;59(5)doi:10.1128/jcm.03040-20

Reimbursement Policy

24. Nguyen Wenker T, Peng FB, Emelogu I, et al. The Predictive Performance of Contemporary Guideline Recommendations for Helicobacter pylori Testing in a United States Population. *Clin Gastroenterol Hepatol*. Jul 2023;21(7):1771-1780. doi:10.1016/j.cgh.2022.10.009
25. Talley NJ. American Gastroenterological Association medical position statement: evaluation of dyspepsia. *Gastroenterology*. Nov 2005;129(5):1753-5. doi:10.1053/j.gastro.2005.09.019
26. Allen JI, Katzka D, Robert M, Leontiadis GI. American Gastroenterological Association Institute Technical Review on the Role of Upper Gastrointestinal Biopsy to Evaluate Dyspepsia in the Adult Patient in the Absence of Visible Mucosal Lesions. *Gastroenterology*. Oct 2015;149(4):1088-118. doi:10.1053/j.gastro.2015.07.040
27. Gupta S, Li D, El Serag HB, et al. AGA Clinical Practice Guidelines on Management of Gastric Intestinal Metaplasia. *Gastroenterology*. 2020;158(3):693-702. doi:10.1053/j.gastro.2019.12.003
28. Ko CW, Siddique SM, Patel A, et al. AGA Clinical Practice Guidelines on the Gastrointestinal Evaluation of Iron Deficiency Anemia. *Gastroenterology*. 2020;159(3):1085-1094. doi:10.1053/j.gastro.2020.06.046
29. Shah SC, Iyer PG, Moss SF. AGA Clinical Practice Update on the Management of Refractory Helicobacter pylori Infection: Expert Review. *Gastroenterology*. Apr 2021;160(5):1831-1841. doi:10.1053/j.gastro.2020.11.059
30. Chey WD, Leontiadis GI, Howden CW, Moss SF. ACG Clinical Guideline: Treatment of Helicobacter pylori Infection. *The American journal of gastroenterology*. Feb 2017;112(2):212-239. doi:10.1038/ajg.2016.563
31. NICE. Gastro-oesophageal reflux disease and dyspepsia in adults: investigation and management. Dyspepsia and Gastro-Oesophageal Reflux Disease: Investigation and Management of Dyspepsia, Symptoms Suggestive of Gastro-Oesophageal Reflux Disease, or Both <https://www.nice.org.uk/guidance/cg184>
32. NICE. Dyspepsia and gastro-oesophageal reflux disease in adults. <https://www.nice.org.uk/guidance/qs96/resources/dyspepsia-and-gastrooesophageal-reflux-disease-in-adults-investigation-and-management-2098972399813>
33. Bhatt DL, Scheiman J, Abraham NS, et al. ACCF/ACG/AHA 2008 expert consensus document on reducing the gastrointestinal risks of antiplatelet therapy and NSAID use: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus Documents. *Circulation*. Oct 28 2008;118(18):1894-909. doi:10.1161/circulationaha.108.191087

Reimbursement Policy

34. Katelaris P, Hunt R, Bazzoli F, et al. Helicobacter pylori World Gastroenterology Organization Global Guideline. *J Clin Gastroenterol*. Feb 1 2023;57(2):111-126. doi:10.1097/mcg.0000000000001719
35. Keller J, Hammer HF, Afolabi PR, et al. European guideline on indications, performance and clinical impact of 13C-breath tests in adult and pediatric patients: An EAGEN, ESNM, and ESPGHAN consensus, supported by EPC. *UEG Journal*. 2021;doi:10.1002/ueg2.12099
36. Homan M, Jones NL, Bontems P, et al. Updated joint ESPGHAN/NASPGHAN guidelines for management of Helicobacter pylori infection in children and adolescents (2023). *J Pediatr Gastroenterol Nutr*. Sep 2024;79(3):758-785. doi:10.1002/jpn3.12314
37. Kato S, Shimizu T, Toyoda S, et al. The updated JSPGHAN guidelines for the management of Helicobacter pylori infection in childhood. *Pediatr Int*. Dec 2020;62(12):1315-1331. doi:10.1111/ped.14388
38. Malfertheiner P, Megraud F, Morain CA, et al. Management of Helicobacter pylori infection—the Maastricht V/Florence Consensus Report. *Gut*. 2017;66(1):6. doi:10.1136/gutjnl-2016-312288
39. Malfertheiner P, Megraud F, Morain CA, et al. Management of Helicobacter pylori infection—the Maastricht IV/ Florence Consensus Report. *Gut*. 2012;61(5):646. doi:10.1136/gutjnl-2012-302084
40. Neunert C, Terrell DR, Arnold DM, et al. American Society of Hematology 2019 guidelines for immune thrombocytopenia. *Blood Advances*. 2020;3(23):3829-3866. doi:10.1182/bloodadvances.2019000966
41. El-Serag HB, Kao JY, Kanwal F, et al. Houston Consensus Conference on Testing for Helicobacter pylori Infection in the United States. *Clinical Gastroenterology and Hepatology*. 2018/07/01 2018;16(7):992-1002.e6.
42. FDA. Summary of Safety and Effectiveness. https://www.accessdata.fda.gov/cdrh_docs/pdf10/P100025B.pdf
43. FDA. 510k summary. https://www.accessdata.fda.gov/cdrh_docs/pdf/K014225.pdf
44. Biosciences M. BreathTek® UBT for H. pylori. Updated July 1, 2024. <https://www.meridianbioscience.com/diagnostics/disease-areas/gastrointestinal/h-pylori/breathtek-ubt-for-h-pylori>

Reimbursement Policy

45. FDA. PyloPlus UBT System - P170022/S003. Updated January 11, 2024.
<https://www.fda.gov/medical-devices/recently-approved-devices/pyloplus-ubt-system-p170022s003>