

Reimbursement Policy

Metabolite Markers of Thiopurines Testing

[POLICY DESCRIPTION](#) | [INDICATIONS AND/OR LIMITATIONS OF COVERAGE](#) | [APPLICABLE STATE AND FEDERAL REGULATIONS](#) | [APPLICABLE CPT/HCPCS PROCEDURE CODES](#) | [EVIDENCE-BASED SCIENTIFIC REFERENCES](#) | [REVISION HISTORY](#)

I. Policy Description

Thiopurines are a class of purine antimetabolite immunomodulators with diverse clinical applications in treatment of autoimmune disorders, transplant rejection, and acute lymphoblastic leukemia.¹ Their therapeutic efficacy, bone marrow toxicity, and liver toxicity have been reported to be related to levels of their downstream metabolites. Due to their complex metabolism, patient response varies considerably between individuals, both in achieving therapeutic drug levels as well as in developing adverse reactions.²

Please note that this policy discusses the monitoring of thiopurine metabolite levels in individuals. For guidance on pharmacogenetic testing prior to therapy, please refer to AHS-M2021 Pharmacogenetic Testing.

II. Indications and/or Limitations of Coverage

Application of coverage criteria is dependent upon an individual's benefit coverage at the time of the request. Specifications pertaining to Medicare and Medicaid can be found in the "Applicable State and Federal Regulations" section of this policy document.

- 1) One-time phenotypic analysis of the enzyme thiopurine methyltransferase (TPMT) **MEETS COVERAGE CRITERIA** for **any** of the following situations:
 - a) Prior to initiating treatment with azathioprine (AZA), mercaptopurine (6-MP) or thioguanine (6-TG).
 - b) For individuals on thiopurine therapy with abnormal complete blood count (CBC) results that do not respond to dose reduction.
- 2) For individuals with inflammatory bowel disease, monitoring of thiopurine metabolite levels **MEETS COVERAGE CRITERIA** for **any** of the following indications:
 - a) To measure blood levels in individuals suspected of having toxic responses to AZA and/or 6-MP (e.g., hepatotoxicity or myelotoxicity).

Reimbursement Policy

- b) To measure drug levels in individuals who have not responded to therapy (e.g., persistent fever, further weight loss, and bloody diarrhea).
- 3) For individuals with acute lymphoblastic leukemia, monitoring of thiopurine metabolite levels **MEETS COVERAGE CRITERIA** for **any** of the following situations:
 - a) For individuals showing signs of a lack of myelosuppression while on therapy.
 - b) For individuals who do not tolerate thiopurines.

The following does not meet coverage criteria due to a lack of available published scientific literature confirming that the test(s) is/are required and beneficial for the diagnosis and treatment of an individual's illness.

- 4) For all other situations not addressed above, phenotypic analysis of the enzyme TPMT **DOES NOT MEET COVERAGE CRITERIA**.
- 5) For all other situations not addressed above, analysis of the metabolite markers of azathioprine and 6-mercaptopurine, including 6-methyl-mercaptopurine ribonucleotides (6-MMRP) and 6-thioguanine nucleotides (6-TGN), **DOES NOT MEET COVERAGE CRITERIA**.

III. Applicable State and Federal Regulations

DISCLAIMER: If there is a conflict between this Policy and any relevant, applicable government policy for a particular member [e.g., Local Coverage Determinations (LCDs) or National Coverage Determinations (NCDs) for Medicare and/or state coverage for Medicaid], then the government policy will be used to make the determination. For the most up-to-date Medicare policies and coverage, please visit the Medicare search website: <https://www.cms.gov/medicare-coverage-database/search.aspx>. For the most up-to-date Medicaid policies and coverage, visit the applicable state Medicaid website.

Food and Drug Administration (FDA)

Many labs have developed specific tests that they must validate and perform in house. These laboratory-developed tests (LDTs) are regulated by the Centers for Medicare and Medicaid (CMS) as high-complexity tests under the Clinical Laboratory Improvement Amendments of 1988 (CLIA '88). LDTs are not approved or cleared by the U. S. Food and Drug Administration; however, FDA clearance or approval is not currently required for clinical use.

IV. Applicable CPT/HCPCS Procedure Codes

CPT	Code Description
80299	Quantitation of therapeutic drug, not elsewhere specified
82657	Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere

Reimbursement Policy

	specified; nonradioactive substrate, each specimen
84433	Thiopurine S-methyltransferase (TPMT)

Current Procedural Terminology© American Medical Association. All Rights reserved.

Procedure codes appearing in Medical Policy documents are included only as a general reference tool for each policy. They may not be all-inclusive.

V. Evidence-based Scientific References

1. Belmont HM. Pharmacology and side effects of azathioprine when used in rheumatic diseases. Updated November 11, 2024. <https://www.uptodate.com/contents/pharmacology-and-side-effects-of-azathioprine-when-used-in-rheumatic-diseases>
2. Bradford K, Shih DQ. Optimizing 6-mercaptopurine and azathioprine therapy in the management of inflammatory bowel disease. *World J Gastroenterol*. 2011;17(37):4166-73. doi:10.3748/wjg.v17.i37.4166
3. Tantisira K, Weiss, Scott. Overview of pharmacogenomics. Updated August 14, 2025. <https://www.uptodate.com/contents/overview-of-pharmacogenomics>
4. Rubin DT. Thiopurines: Pretreatment testing and approach to therapeutic drug monitoring for adults with inflammatory bowel disease. Updated May 16, 2025. <https://www.uptodate.com/contents/thiopurines-pretreatment-testing-and-approach-to-therapeutic-drug-monitoring-for-adults-with-inflammatory-bowel-disease>
5. Lennard L, Gibson BE, Nicole T, Lilleyman JS. Congenital thiopurine methyltransferase deficiency and 6-mercaptopurine toxicity during treatment for acute lymphoblastic leukaemia. *Archives of disease in childhood*. 1993;69(5):577-9. doi:10.1136/ad.69.5.577
6. Lennard L, Van Loon JA, Weinshilboum RM. Pharmacogenetics of acute azathioprine toxicity: relationship to thiopurine methyltransferase genetic polymorphism. *Clinical pharmacology and therapeutics*. 1989;46(2):149-54. doi:10.1038/clpt.1989.119
7. Gardiner SJ, Gearry RB, Begg EJ, Zhang M, Barclay ML. Thiopurine dose in intermediate and normal metabolizers of thiopurine methyltransferase may differ three-fold. *Clinical gastroenterology and hepatology : the official clinical practice journal of the American Gastroenterological Association*. 2008;6(6):654-60; quiz 604. doi:10.1016/j.cgh.2008.02.032
8. Cuffari C, Dassopoulos T, Turnbough L, Thompson RE, Bayless TM. Thiopurine methyltransferase activity influences clinical response to azathioprine in inflammatory bowel disease. *Clinical gastroenterology and hepatology : the official clinical practice journal of the American Gastroenterological Association*. 2004;2(5):410-7. doi:10.1016/S1542-3565(04)00127-2
9. Dubinsky MC, Reyes E, Ofman J, Chiou CF, Wade S, Sandborn WJ. A cost-effectiveness analysis of alternative disease management strategies in patients with Crohn's disease treated with azathioprine or 6-mercaptopurine. *The American journal of gastroenterology*. 2005;100(10):2239-47. doi:10.1111/j.1572-0241.2005.41900.x

Reimbursement Policy

10. Winter J, Walker A, Shapiro D, Gaffney D, Spooner RJ, Mills PR. Cost-effectiveness of thiopurine methyltransferase genotype screening in patients about to commence azathioprine therapy for treatment of inflammatory bowel disease. *Alimentary pharmacology & therapeutics*. 2004;20(6):593-9. doi:10.1111/j.1365-2036.2004.02124.x
11. Stocco G, Martellosi S, Barabino A, et al. Glutathione-S-transferase genotypes and the adverse effects of azathioprine in young patients with inflammatory bowel disease. *Inflammatory bowel diseases*. 2007;13(1):57-64. doi:10.1002/ibd.20004
12. Gilissen LP, Bierau J, Derijks LJ, et al. The pharmacokinetic effect of discontinuation of mesalazine on mercaptopurine metabolite levels in inflammatory bowel disease patients. *Alimentary pharmacology & therapeutics*. 2005;22(7):605-11. doi:10.1111/j.1365-2036.2005.02630.x
13. Dewit O, Vanheuverzwyn R, Desager JP, Horsmans Y. Interaction between azathioprine and aminosalicylates: an in vivo study in patients with Crohn's disease. *Alimentary pharmacology & therapeutics*. 2002;16(1):79-85. doi:10.1046/j.1365-2036.2002.01156.x
14. Szumlanski CL, Weinshilboum RM. Sulphasalazine inhibition of thiopurine methyltransferase: possible mechanism for interaction with 6-mercaptopurine and azathioprine. *British journal of clinical pharmacology*. 1995;39(4):456-9. doi:10.1111/j.1365-2125.1995.tb04478.x
15. Relling MV, Schwab M, Whirl-Carrillo M, et al. Clinical Pharmacogenetics Implementation Consortium Guideline for Thiopurine Dosing Based on TPMT and NUDT15 Genotypes: 2018 Update. *Clinical pharmacology and therapeutics*. 2019;105(5):1095-1105. doi:10.1002/cpt.1304
16. Moriyama T, Nishii R, Perez-Andreu V, et al. NUDT15 polymorphisms alter thiopurine metabolism and hematopoietic toxicity. *Nat Genet*. 2016;48(4):367-73. doi:10.1038/ng.3508
17. Eadie MJ. Therapeutic drug monitoring--antiepileptic drugs. *British journal of clinical pharmacology*. 2002;46(3):185-93. doi:10.1046/j.1365-2125.1998.00769.x
18. Dubinsky MC, Lamothe S, Yang HY, et al. Pharmacogenomics and metabolite measurement for 6-mercaptopurine therapy in inflammatory bowel disease. *Gastroenterology*. 2000;118(4):705-13. doi:10.1016/s0016-5085(00)70140-5
19. Haines ML, Ajlouni Y, Irving PM, et al. Clinical usefulness of therapeutic drug monitoring of thiopurines in patients with inadequately controlled inflammatory bowel disease. *Inflammatory bowel diseases*. 2011;17(6):1301-7. doi:10.1002/ibd.21458
20. Lee JH, Kim TJ, Kim ER, et al. Measurements of 6-thioguanine nucleotide levels with TPMT and NUDT15 genotyping in patients with Crohn's disease. *PloS one*. 2017;12(12):e0188925. doi:10.1371/journal.pone.0188925
21. Spencer E, Norris E, Williams C, Dubinsky MC. The Impact of Thiopurine Metabolite Monitoring on the Durability of Thiopurine Monotherapy in Pediatric IBD. *Inflammatory bowel diseases*. 2019;25(1):142-149. doi:10.1093/ibd/izy216
22. Meijer B, Wilhelm AJ, Mulder CJJ, Bouma G, van Bodegraven AA, de Boer NKH. Pharmacology of Thiopurine Therapy in Inflammatory Bowel Disease and Complete Blood

Reimbursement Policy

- Cell Count Outcomes: A 5-Year Database Study. *Ther Drug Monit.* 2017;39(4):399-405. doi:10.1097/ftd.0000000000000414
23. Estevinho MM, Afonso J, Rosa I, et al. A Systematic Review and Meta-Analysis of 6-Thioguanine Nucleotide Levels and Clinical Remission in Inflammatory Bowel Disease. *J Crohns Colitis.* 2017;11(11):1381-1392. doi:10.1093/ecco-jcc/jjx089
24. Toksvang LN, Schmidt MS, Arup S, et al. Hepatotoxicity during 6-thioguanine treatment in inflammatory bowel disease and childhood acute lymphoblastic leukaemia: A systematic review. *PloS one.* 2019;14(5):e0212157. doi:10.1371/journal.pone.0212157
25. Zhu X, Chao K, Li M, et al. Nucleoside diphosphate-linked moiety X-type motif 15 R139C genotypes impact 6-thioguanine nucleotide cut-off levels to predict thiopurine-induced leukopenia in Crohn's disease patients. *World J Gastroenterol.* 2019;25(38):5850-5861. doi:10.3748/wjg.v25.i38.5850
26. Ioannou S, Beecham A, Gomez L, et al. Ancestral Diversity in Pharmacogenomics Affects Treatment for Hispanic/Latine Populations With Inflammatory Bowel Disease. *Clinical Gastroenterology and Hepatology.* 2025;23(6):1008-1018.e7. doi:10.1016/j.cgh.2024.07.032
27. Yassin W, Nasser R, Veitsman E, Saadi T. The Effectiveness of Measuring Thiopurine Metabolites in the Treatment of Autoimmune Hepatitis Patients. *Turk J Gastroenterol.* Jan 17 2024;35(3):232-238. doi:10.5152/tjg.2024.22838
28. NCCN. Pediatric Acute Lymphoblastic Leukemia, Version 3.2025. Updated August 11, 2025. https://www.nccn.org/professionals/physician_gls/pdf/ped_all.pdf
29. NCCN. Acute Lymphoblastic Leukemia Version Version 1.2025. Updated June 27, 2025. https://www.nccn.org/professionals/physician_gls/pdf/all.pdf
30. Bressler B, Marshall JK, Bernstein CN, et al. Clinical practice guidelines for the medical management of nonhospitalized ulcerative colitis: the Toronto consensus. *Gastroenterology.* 2015;148(5):1035-1058.e3. doi:10.1053/j.gastro.2015.03.001
31. Kornbluth A, Sachar DB. Ulcerative colitis practice guidelines in adults: American College Of Gastroenterology, Practice Parameters Committee. *The American journal of gastroenterology.* 2010;105(3):501-23; quiz 524. doi:10.1038/ajg.2009.727
32. Lichtenstein GR, Loftus EV, Afzali A, et al. ACG Clinical Guideline: Management of Crohn's Disease in Adults. *Official journal of the American College of Gastroenterology | ACG.* 2025;120(6):1225-1264. doi:10.14309/ajg.00000000000003465
33. Rubin DT, Ananthakrishnan AN, Siegel CA, Barnes EL, Long MD. ACG Clinical Guideline Update: Ulcerative Colitis in Adults. *Official journal of the American College of Gastroenterology | ACG.* 2025;120(6):1187-1224. doi:10.14309/ajg.00000000000003463
34. Benkov K, Lu Y, Patel A, Rahhal R, Russell G, Teitelbaum J. Role of thiopurine metabolite testing and thiopurine methyltransferase determination in pediatric IBD. *Journal of pediatric gastroenterology and nutrition.* 2013;56(3):333-40. doi:10.1097/MPG.0b013e3182844705
35. Feuerstein JD, Nguyen GC, Kupfer SS, Falck-Ytter Y, Singh S. American Gastroenterological Association Institute Guideline on Therapeutic Drug Monitoring in Inflammatory Bowel Disease. *Gastroenterology.* 2017;153(3):827-834. doi:10.1053/j.gastro.2017.07.032

Reimbursement Policy

36. Vande Casteele N, Herfarth H, Katz J, Falck-Ytter Y, Singh S. American Gastroenterological Association Institute Technical Review on the Role of Therapeutic Drug Monitoring in the Management of Inflammatory Bowel Diseases. *Gastroenterology*. 2017;153(3):835-857.e6. doi:10.1053/j.gastro.2017.07.031
37. Feuerstein JD, Isaacs KL, Schneider Y, et al. AGA Clinical Practice Guidelines on the Management of Moderate to Severe Ulcerative Colitis. *Gastroenterology*. 2020;158(5):1450-1461. doi:10.1053/j.gastro.2020.01.006
38. Singh S, Loftus EV, Jr., Limketkai BN, et al. AGA Living Clinical Practice Guideline on Pharmacological Management of Moderate-to-Severe Ulcerative Colitis. *Gastroenterology*. Dec 2024;167(7):1307-1343. doi:10.1053/j.gastro.2024.10.001
39. Caldera F, Kane S, Long M, Hashash JG. AGA Clinical Practice Update on Noncolorectal Cancer Screening and Vaccinations in Patients With Inflammatory Bowel Disease: Expert Review. *Clinical Gastroenterology and Hepatology*. 2025;23(5):695-706. doi:10.1016/j.cgh.2024.12.011
40. CPIC. CPIC® Guideline for Thiopurines and TPMT and NUDT15. <https://cpicpgx.org/guidelines/guideline-for-thiopurines-and-tpmt/>
41. Lamb CA, Kennedy NA, Raine T, et al. British Society of Gastroenterology consensus guidelines on the management of inflammatory bowel disease in adults. *Gut*. 2019;68(Suppl 3):s1-s106. doi:10.1136/gutjnl-2019-318484
42. Mack DR, Benchimol EI, Critch J, et al. Canadian Association of Gastroenterology Clinical Practice Guideline for the Medical Management of Pediatric Luminal Crohn's Disease. *J Can Assoc Gastroenterol*. 2019;2(3):e35-e63. doi:10.1093/jcag/gwz018
43. Panaccione R, Steinhart AH, Bressler B, et al. Canadian Association of Gastroenterology Clinical Practice Guideline for the Management of Luminal Crohn's Disease. *Journal of the Canadian Association of Gastroenterology*. 2018;2(3):e1-e34. doi:10.1093/jcag/gwz019
44. NICE. Crohn's disease: management. Updated May 3, 2019. <https://www.nice.org.uk/guidance/ng129/chapter/Recommendations>
45. Turner D, Ruemmele FM, Orlanski-Meyer E, et al. Management of Paediatric Ulcerative Colitis, Part 1: Ambulatory Care-An Evidence-based Guideline From European Crohn's and Colitis Organization and European Society of Paediatric Gastroenterology, Hepatology and Nutrition. *Journal of pediatric gastroenterology and nutrition*. 2018;67(2):257-291. doi:10.1097/mpg.0000000000002035

VI. Revision History

Revision Date	Summary of Changes
09/04/2025	Reviewed and Updated: Updated the background, guidelines and recommendations, and evidence-based scientific references. Literature review did not necessitate any modifications to coverage criteria.